Remington

AMMUNITION PRICE LIST

DEALER PRICES • EFFECTIVE JANUARY 4, 1965

FAIR TRADE The dealer prices shown herein on loaded shotgun shells and loaded metallic cartridges have been established as minimum Fair Trade prices in all states having Fair Trade laws in effect. This price list constitutes the notice provided for in Remington Fair Trade Agreements. 11% Federal tax included. Prices subject to change without notice.

At Last . . . A Hunting Load with Power to Spare!



THE INSIDE STORY
After 2 record-shattering years in the toughest trap and skeet competition, "Power Piston" is now built into Remington "Express" 12, 16, 20 and 28 gauge loads to give hunters the greatest shotgun shell since smokeless powder!

LONG RANGE . . . DENSE PATTERNS
LOW RECOIL . . . with

REMINGTON

"EXPRESS" Plastic

12, 16, 20 & 28 GAUGE

SHOTGUN SHELLS

with Performance-Proven

"POWER PISTON"

ONE-PIECE WAD

They Hit Like Magnums!



PERFORMANCE PROVEN by 2 record-shattering years in the toughest trap and skeet competition. Remington plastic trap loads with "Power Piston" have cleaned up at "The Grand" 2 years in a row. At the 1964 "Grand" more shooters used "Power Piston" loads than all other brands combined!

Remington DU PONT

All with "KLEANBORE" Priming!

REMINGTON "EXPRESS" PLASTIC SHOTGUN SHELLS

"KLEANBORE" PRIMING

*Load No.	Gauge and Brand	Length Shell Ins.	Powder Equiv. Drams	Shot Ozs.	Size Shot	Case Weight (Lbs.)	Dealer Price Per M	Dealer Price Per Box	Retail Price Per M	Retail Price Per Box
EXTRA LONG RANGE SHOTGUN SHELLS WITH "POWER PISTON" WAD										
•RX10P	10 Ga. Remington Exp.	2⅞	8	....	Yacht Gun Blank	37	135.60	3.39	178.00	4.45
•SP10	10 Ga. Remington Exp.	2⅞	4¾	1⅝	4	74				
SP12	12 Ga. Remington Exp.	2¾	3¾	1¼	BB, 2, 4, 5, 6, 7½, 9	58	113.20	2.83	148.00	3.70
SP16	16 Ga. Remington Exp.	2¾	3	1⅛	4, 5, 6, 7½, 9	52	102.40	2.56	134.00	3.35
SP16X	16 Ga. Remington Exp.	2¾	3¼	1⅛	4, 5, 6, 7½	52	103.60	2.59	136.00	3.40
SP20	20 Ga. Remington Exp.	2¾	2¾	1	4, 5, 6, 7½, 9	46	97.60	2.44	128.00	3.20
SP28	28 Ga. Remington Exp.	2¾	2¼	¾	4, 6, 7½, 9 [b]	37	100.40	2.51	132.00	3.30
•RX28	28 Ga. Remington Exp. (paper shells)	2¾	2¼	¾	4, 6, 7½, 9 [b]	37				
•RX410	410 Ga. Remington Exp. (paper shells)	2½	....	½	4, 5, 6, 7½, 9 [b]	22	74.40	1.86	98.00	2.45
•RX4103	410 Ga. Remington Exp. (paper shells)	3	....	¾	4, 5, 6, 7½, 9 [b]	31	88.40	2.21	116.00	2.90

•Standard wad column.

[b] 28 Ga. and 410 Ga. 9 Shot marked "Skeet Load."

REMINGTON "EXPRESS" MAGNUM LOADS

12 GAUGE WITH "POWER PISTON" WAD

SP10Mag	10 Ga. Remington Exp.	3½	5	2	2, 4 Magnum	89	230.40	5.76	304.00	7.60
SP12SMag	12 Ga. Remington Exp.	2¾	4	1½	2, 4, 5, 6 Magnum	66	128.40	3.21	168.00	4.20
SP12HMag	12 Ga. Remington Exp.	3	4½	1⅞	BB, 2, 4 Magnum	77	152.40	3.81	200.00	5.00
SP12Mag	12 Ga. Remington Exp.	3	4¼	1⅝	2, 4, 6 Magnum	70	140.40	3.51	184.00	4.60
SP16CMag	16 Ga. Remington Exp.	2¾	3½	1¼	2, 4, 6 Magnum	56	112.80	2.82	148.00	3.70
SP20SMag	20 Ga. Remington Exp.	2¾	3	1⅛	2, 4, 6, 7½ Magnum	50	102.40	2.56	134.00	3.35
SP20HMag	20 Ga. Remington Exp.	3	3¼	1¼	2, 4, 6, 7½ Magnum	55	114.40	2.86	150.00	3.75

REMINGTON "EXPRESS" RIFLED SLUG

SP12RS	12 Ga. Remington Exp.	2¾	3¾	1	Rifled Slug	51	166.80	4.17	220.00	5.50
SP16RS	16 Ga. Remington Exp.	2¾	3	⅞	Rifled Slug	47	159.20	3.98	210.00	5.25
SP20RS	20 Ga. Remington Exp.	2¾	2¾	⅝	Rifled Slug	37	152.80	3.82	202.00	5.05
RX410RS	410 Ga. Remington Exp. (paper shells)	2½	....	⅕	Rifled Slug	14	143.20	3.58	190.00	4.75

* In ordering, size of shot should follow load number

All shells packed 25 per box — 500 per case

ALL REMINGTON SHOTGUN SHELLS ARE "WET-PROOF" — LOADED WITH FINEST QUALITY SMOKELESS POWDER

REMINGTON PLASTIC SHOTGUN SHELLS

"KLEANBORE" PRIMING

*Load No.	Gauge and Brand	Length Shell Ins.	Powder Equiv. Drams	Shot Ozs.	Size Shot	Case Weight (Lbs.)	Dealer Price Per M	Dealer Price Per Box	Retail Price Per M	Retail Price Per Box
REMINGTON "EXPRESS" BUCKSHOT										
SP12BK	12 Ga. Remington Exp.	2¾	3¾	....	00 Buck— 9 Pellets	55	134.00	3.35	176.00	4.40
SP12BK	12 Ga. Remington Exp.	2¾	3¾	....	0 Buck—12 Pellets	63	134.40	3.36	176.00	4.40
SP12BK	12 Ga. Remington Exp.	2¾	3¾	....	1 Buck—16 Pellets	63				
SP12BK	12 Ga. Remington Exp.	2¾	3¾	....	4 Buck—27 Pellets	60				
SP16BK	16 Ga. Remington Exp.	2¾	3	....	1 Buck—12 Pellets	50	134.00	3.35	176.00	4.40
SP20BK	20 Ga. Remington Exp.	2¾	2¾	....	3 Buck—20 Pellets	47				
REMINGTON "EXPRESS" MAGNUM BUCKSHOT										
SP12SMagBK	12 Ga. Remington Exp.	2¾	4	....	00 Buck—12 Pellets	67	152.40	3.81	200.00	5.00
SP12HMagBK	12 Ga. Remington Exp.	3	4½	....	00 Buck—15 Pellets	79	173.20	4.33	228.00	5.70
SP12HMagBK	12 Ga. Remington Exp.	3	4½	....	4 Buck—41 Pellets	81				

"SHUR SHOT" PLASTIC SHOTGUN SHELLS

R12L	12 Ga. Shur Shot	2¾	3	1	4, 5, 6, 8	48	88.80	2.22	116.00	2.90
R12M	12 Ga. Shur Shot	2¾	3	1⅛	4, 5, 6, 8, 9	52	93.20	2.33	122.00	3.05
R12H	12 Ga. Shur Shot	2¾	3¼	1⅛	4, 5, 6, 7½, 8, 9	51	94.80	2.37	124.00	3.10
RP12H	12 Ga. Shur Shot	2¾	3¼	1¼	7½, 8	58	99.60	2.49	130.00	3.25
NRP12H	12 Ga. Shur Shot	2¾	3¼	1¼	7½, 8 (Nickel)	58	116.40	2.91	152.00	3.80
R16	16 Ga. Shur Shot	2¾	2½	1	4, 5, 6, 8, 9	47	84.40	2.11	110.00	2.75
R16H	16 Ga. Shur Shot	2¾	2¾	1⅛	4, 5, 6, 7½, 8, 9	51	88.80	2.22	116.00	2.90
R20	20 Ga. Shur Shot	2¾	2¼	⅞	4, 5, 6, 8, 9	41	78.00	1.95	102.00	2.55
R20M	20 Ga. Shur Shot	2¾	2½	1	4, 5, 6, 7½, 8, 9	45	86.00	2.15	112.00	2.80

"SHUR SHOT" PLASTIC SCATTER LOADS

RSL12	12 Ga. Shur Shot	2¾	3	1⅛	8	51	97.60	2.44	128.00	3.20
RSL16	16 Ga. Shur Shot	2¾	2½	1	8	47	88.80	2.22	116.00	2.90
RSL20	20 Ga. Shur Shot	2¾	2¼	⅞	8	41	84.00	2.10	110.00	2.75

* In ordering, size of shot should follow load number

All shells packed 25 per box — 500 per case

ALL REMINGTON SHOTGUN SHELLS ARE "WET-PROOF" — LOADED WITH FINEST QUALITY SMOKELESS POWDER

REMINGTON TRAP AND SKEET SHELLS

"KLEANBORE" PRIMING

*Load No.	Gauge and Brand	Length Shell Ins.	Powder Equiv. Drams	Shot Ozs.	Size Shot	Case Weight (Lbs.)	Dealer Price Per M	Dealer Price Per Box	Retail Price Per M	Retail Price Per Box
REMINGTON "SHUR SHOT" PLASTIC TRAP & SKEET LOADS WITH "POWER PISTON" WAD										
RP12M	12 Ga. Shur Shot	2¾	3	1⅛	7½, 8, 9	54	93.20	2.33	122.00	3.05
RP12L	12 Ga. Shur Shot	2¾	2¾	1⅛	7½, 8, 9	54				
RP20	20 Ga. Shur Shot	2¾	2¼	⅞	9	41	78.00	1.95	102.00	2.55
R20M with No. 7½ and 8 shot also recommended for 20 Ga. Trapshooting.										
REMINGTON "SHUR SHOT" PLASTIC TRAP & SKEET LOADS WITH "H" WAD										
TR12M	12 Ga. Shur Shot	2¾	3	1⅛	7½, 8, 9	54	93.20	2.33	122.00	3.05
TR12L	12 Ga. Shur Shot	2¾	2¾	1⅛	7½, 8, 9	54				
TR16	16 Ga. Shur Shot	2¾	2½	1	9	48	84.40	2.11	110.00	2.75
TR20	20 Ga. Shur Shot	2¾	2¼	⅞	9	41	78.00	1.95	102.00	2.55
R16H with No. 7½ and 8 shot also recommended for 16 Ga. Trapshooting.										
REMINGTON "SHUR SHOT" PAPER TRAP & SKEET LOADS WITH "POWER PISTON" WAD										
a STP12M	12 Ga. Shur Shot	2¾	3	1⅛	8	54	90.40	2.26	118.00	2.95
a STP12L	12 Ga. Shur Shot	2¾	2¾	1⅛	7½, 8, 9	54				
REMINGTON "SHUR SHOT" PAPER TRAP & SKEET LOADS WITH"H" WAD										
a ST12M	12 Ga. Shur Shot	2¾	3	1⅛	7½, 8, 9	54	90.40	2.26	118.00	2.95
a ST12L	12 Ga. Shur Shot	2¾	2¾	1⅛	7½, 8, 9	54				
a Orders subject to stock on hand										
REMINGTON "EXPRESS" SKEET LOADS										
SP28	28 Ga. Remington Exp. (plastic shells)	2¾	2¼	¾	9	37	100.40	2.51	132.00	3.30
RX28	28 Ga. Remington Exp. (paper shells)	2¾	2¼	¾	9	37				
RX410	410 Ga. Remington Exp. (paper shells)	2½	....	½	9	22	74.40	1.86	98.00	2.45
RX4103	410 Ga. Remington Exp. (paper shells)	3	....	¾	9	31	88.40	2.21	116.00	2.90

* In ordering, size of shot should follow load number

All shells packed 25 per box — 500 per case

REMINGTON "SHUR SHOT" SHELLS ARE THE WORLD'S LEADING TRAP AND SKEET LOADS

REMINGTON RIM FIRE CARTRIDGES

"KLEANBORE" PRIMING

Index No.	Packed 50 per box except where noted	BULLET Weight (Grains)	CASE Quantity M	CASE Weight (Lbs.)	Dealer Price Per M	Dealer Price Per Box	Retail Price Per M	Retail Price Per Box
	REMINGTON "HI-SPEED" MAXIMUM POWER — HIGHEST SPEED							
1022	22 Short, Hi-Speed	29	10	58	10.60	.53	14.00	.70
1122	22 Short, Hi-Speed, Hollow Point	27	10	57	12.20	.61	16.00	.80
1322	22 Long, Hi-Speed	29	10	62	11.40	.57	15.00	.75
1522	22 Long Rifle, Hi-Speed	40	10	80	13.00	.65	17.00	.85
1622	22 Long Rifle, Hi-Speed, Hollow Point	36	10	77	14.40	.72	19.00	.95
1822	22 W.R.F. (Remington Special), Hi-Speed	45	5	48	31.60	1.58	42.00	2.10
	REMINGTON STANDARD VELOCITY							
5522	22 Short	29	10	58	10.60	.53	14.00	.70
5722	22 Short, Gallery Special, Spatter-Less (250 in box)	29	10	57	10.38	2.59	13.70	3.42
6722	22 Short, New and Improved Spatter-Less (250 in box)	15	10	37	10.38	2.59	13.70	3.42
6122	22 Long Rifle	40	10	79	13.00	.65	17.00	.85
7522	22 Win. Automatic	45	5	52	31.60	1.58	42.00	2.10
	REMINGTON SPECIAL MATCH CARTRIDGES THE FINEST IN TARGET SHOOTING							
6622	22 Long Rifle Match, for Rifles	40	10	78	19.60	.98	26.00	1.30
6822	22 Long Rifle, Match, for Pistols	40	10	78				
	REMINGTON SHOT CARTRIDGES							
9322	22 Long Rifle, Rim Fire, Hi-Speed	....	10	65	24.20	1.21	32.00	1.60
	REMINGTON BLANK CARTRIDGES LOADED WITH SPECIAL POWDER INSURING A LOUD REPORT							
		Primer No.						
9022	22 Short, Rim Fire	....	10	17	12.00	.60	16.00	.80
9032	32 S. & W., Center Fire	5½	5	37	51.20	2.56	68.00	3.40
9238	38 S. & W., Center Fire	1½	2	25	52.80	2.64	70.00	3.50
9538	38 Special, Center Fire	1½	2	28	73.00	3.65	97.00	4.85
9005	5 in 1 Blank, Center Fire	2½	1	24	119.40	5.97	158.00	7.90

(for use in 38/40, 44/40 Rifles and 38/40, 44/40, 45 Colt Revolvers)

REMINGTON CENTER FIRE CARTRIDGES

"KLEANBORE" PRIMING

Index No.	*Packed 50 in a box †Packed 20 in a box	BULLET Weight (Grains)	Primer No.	CASE Quantity M	CASE Weight (Lbs.)	Dealer Price Per M	Dealer Price Per Box	Retail Price Per M	Retail Price Per Box
	218 Bee								
*0218	Hi-Speed, Mushroom	46	6½	2	43	109.00	5.45	145.00	7.25
	22 Hornet								
*0222	Hi-Speed, Soft Point	45	6½	2	33	106.00	5.30	141.00	7.05
*0322	Hi-Speed, Mushroom	45	6½	2	33				
	22 Remington "Jet" Magnum								
*0122	Hi-Speed, Soft Point	40	6½	2	42	103.40	5.17	137.00	6.85
	220 Swift								
†0822	Hi-Speed, Soft Point	48	9½	1	43	152.50	3.05	202.50	4.05
	221 Remington "Fire Ball"								
†5221	Hi-Speed, Soft Point	50	7½	1	26	118.50	2.37	157.50	3.15
	222 Remington								
†0722	Hi-Speed, Soft Point	50	7½	1	29	124.50	2.49	165.00	3.30
†0922	Hi-Speed, Metal Case	50	7½	1	28				
	222 Remington Magnum								
†0522	Hi-Speed, Soft Point	55	7½	1	30	136.00	2.72	180.00	3.60
	22-250 Remington								
†0250	Hi-Speed, Pointed Soft Point	55	9½	1	46	136.00	2.72	180.00	3.60
	223 Remington (5.56 mm.)								
†0223	Hi-Speed, Soft Point	55	7½	1	30	136.00	2.72	180.00	3.60
	6 mm. Remington								
†1066	Hi-Speed, Ptd. S.P., Core-Lokt	100	9½	1	53	170.00	3.40	225.00	4.50
	243 Win.								
†0243	Hi-Speed, Pointed Soft Point	80	9½	1	50	170.00	3.40	225.00	4.50
†1243	Hi-Speed, Ptd. S.P., Core-Lokt	100	9½	1	53				
	244 Remington								
†0244	Hi-Speed, Pointed Soft Point	75	9½	1	51	170.00	3.40	225.00	4.50
†1244	Hi-Speed, Pointed Soft Point	90	9½	1	53				
	25-20 Win.								
*1325	Lead	86	6½	2	52	84.40	4.22	112.00	5.60
*1525	Soft Point	86	6½	2	52	93.40	4.67	124.00	6.20
*1625	Hi-Speed, Mushroom	60	6½	2	46	98.60	4.93	131.00	6.55
	25 (6.35 mm.) Automatic Pistol								
*4225	Metal Case, Oil-Proof	50	1½	5	61	66.20	3.31	88.00	4.40
	257 Roberts								
†5325	Express, Soft Point, Core-Lokt	117	9½	1	56	175.50	3.51	232.50	4.65
†5425	Hi-Speed, Pointed Soft Point	100	9½	1	54				
	25-35 Win.								
†6325	Express, Soft Point, Core-Lokt	117	9½	1	46	147.00	2.94	195.00	3.90

REMINGTON CENTER FIRE CARTRIDGES
"KLEANBORE" PRIMING

Index No.	*Packed 50 in a box †Packed 20 in a box	BULLET Weight (Grains)	Primer No.	CASE Quantity M	CASE Weight (Lbs.)	Dealer Price Per M	Dealer Price Per Box	Retail Price Per M	Retail Price Per Box
	250 Sav.								
†7125	Hi-Speed, Pointed Soft Point	100	9½	1	49	158.50	3.17	210.00	4.20
†7225	Hi-Speed, Soft Point, Core-Lokt	100	9½	1	49				
†7425	Hi-Speed, Soft Point	87	9½	1	47				
	264 Win. Magnum								
†1264	Hi-Speed, Ptd. S.P., Core-Lokt	100	9½M	1	68	232.00	4.64	307.50	6.15
†4264	Hi-Speed, Ptd. S.P., Core-Lokt	140	9½M	1	73				
	270 Win.								
†8027	Hi-Speed, Pointed Soft Point	100	9½	1	60	188.50	3.77	250.00	5.00
†8127	Hi-Speed, Soft Point, Core-Lokt	150	9½	1	67				
†8327	Hi-Speed, Ptd. S.P., Core-Lokt	130	9½	1	64				
†8427	Hi-Speed, Bronze Pointed	130	9½	1	65				
	280 Remington								
†1028	Hi-Speed, Ptd. S.P., Core-Lokt	125	9½	1	64	188.50	3.77	250.00	5.00
†1128	Hi-Speed, Ptd. S.P., Core-Lokt	150	9½	1	67				
†1228	Hi-Speed, Soft Point, Core-Lokt	165	9½	1	70				
	7 mm. Remington Magnum								
†1277	Hi-Speed, Ptd. S.P., Core-Lokt	150	9½M	1	73	232.00	4.64	307.50	6.15
†1377	Hi-Speed, Soft Point, Core-Lokt	175	9½M	1	77				
	7 mm. Mauser								
†8707	Express, Soft Point	175	9½	1	67	188.50	3.77	250.00	5.00
	30 Carbine								
*1030	Hi-Speed, Soft Point	110	6½	3	90	119.00	5.95	158.00	7.90
	30 (7.63 mm.) Mauser Automatic Pistol								
*0230	Metal Case, Oil-Proof	85	1½	2	48	91.20	4.56	121.00	6.05
	30 (7.65 mm.) Luger Automatic Pistol								
*0730	Metal Case, Oil-Proof	93	1½	2	45	91.20	4.56	121.00	6.05
	30-30 Win.								
†1230	Express, Metal Case	160	9½	1	54	149.00	2.98	197.50	3.95
†1330	Express, Mushroom, Core-Lokt	170	9½	1	55				
†1430	Express, Soft Point, Core-Lokt	170	9½	1	55				
†1530	Express, Soft Point, Core-Lokt	150	9½	1	53				
	30 Remington								
†2630	Express, Soft Point, Core-Lokt	170	9½	1	55	149.00	2.98	197.50	3.95

REMINGTON CENTER FIRE CARTRIDGES
"KLEANBORE" PRIMING

Index No.	*Packed 50 in a box †Packed 20 in a box	BULLET Weight (Grains)	Primer No.	CASE Quantity M	CASE Weight (Lbs.)	Dealer Price Per M	Dealer Price Per Box	Retail Price Per M	Retail Price Per Box
	30-40 Krag								
†4630	Express, Soft Point, Core-Lokt	220	9½	1	71	188.50	3.77	250.00	5.00
†4930	Hi-Speed, Soft Point, Core Lokt	180	9½	1	65				
†5030	Hi-Speed, Ptd. S.P., Core-Lokt	180	9½	1	65				
	30-06 Springfield								
†5730	Express, Soft Point, Core-Lokt	220	9½	1	77	188.50	3.77	250.00	5.00
†5830	Hi-Speed, Ptd. S.P., Core-Lokt	150	9½	1	67				
†6030	Hi-Speed, Bronze Pointed	150	9½	1	66				
†6130	Hi-Speed, Bronze Pointed	180	9½	1	71				
†6230	Hi-Speed, Pointed Soft Point	125	9½	1	61				
†6430	Hi-Speed, Soft Point, Core-Lokt	180	9½	1	71				
†6530	Hi-Speed, Ptd. S.P., Core-Lokt	180	9½	1	72				
†6630	Hi-Speed, Pointed Soft Point	110	9½	1	62				
†6730	Palma Match, Taper Heel, Metal Case	180	9½	1	71	239.50	4.79	317.50	6.35
	300 Sav.								
†7030	Express, Soft Point, Core-Lokt	180	9½	1	60	183.00	3.66	242.50	4.85
†7230	Express, Ptd. S.P., Core-Lokt	180	9½	1	60				
†7330	Hi-Speed, Soft Point, Core Lokt	150	9½	1	57				
†7430	Hi-Speed, Bronze Pointed	150	9½	1	56				
†7530	Hi-Speed, Ptd. S.P., Core-Lokt	150	9½	1	56				
	300 H. & H. Magnum								
†7730	Match, Taper Heel, Metal Case	180	9½M	1	77	294.00	5.88	390.00	7.80
†7830	Hi-Speed, Ptd. S.P., Core-Lokt	180	9½M	1	80	238.00	4.76	315.00	6.30
†7930	Express, Soft Point, Core-Lokt	220	9½M	1	86				
	300 Win. Magnum								
†2300	Hi-Speed, Ptd. S.P., Core-Lokt	150	9½M	1	76	238.00	4.76	315.00	6.30
†3300	Hi-Speed, Ptd. S.P., Core-Lokt	180	9½M	1	80				
	303 Sav.								
†8130	Express, Soft Point, Core-Lokt	180	9½	1	55	160.50	3.21	212.50	4.25
	303 British								
†8330	Express, Soft Point	215	9½	1	68	188.50	3.77	250.00	5.00
†9330	Hi-Speed, Soft Point, Core-Lokt	180	9½	1	63				
	308 Win.								
†6308	Hi-Speed, Pointed Soft Point	110	9½	1	54	188.50	3.77	250.00	5.00
†7308	Hi-Speed, Ptd. S.P., Core-Lokt	150	9½	1	60				
†8308	Hi-Speed, Ptd. S.P., Core-Lokt	180	9½	1	64				
†9308	Hi-Speed, Soft Point, Core-Lokt	180	9½	1	64				
	8 mm. (7.9 mm.) Mauser								
†8908	Hi-Speed, Soft Point, Core-Lokt	170	9½	1	64	188.50	3.77	250.00	5.00

REMINGTON CENTER FIRE CARTRIDGES

"KLEANBORE" PRIMING

Index No.	*Packed 50 in a box †Packed 20 in a box	BULLET Weight (Grains)	Primer No.	CASE Quantity M	CASE Weight (Lbs.)	Dealer Price Per M	Dealer Price Per Box	Retail Price Per M	Retail Price Per Box
	32 S. & W.								
*1132	Lead, Oil-Proof	88	5½	5	99	58.00	2.90	77.00	3.85
	32 S. & W., Long								
*1232	Lead, Oil-Proof	98	1½	4	92	61.20	3.06	81.00	4.05
	32 Short Colt								
*1632	Lead, Oil-Proof	80	1½	5	93	58.00	2.90	77.00	3.85
	32 Long Colt								
*1732	Lead, Oil-Proof	82	1½	4	79	61.20	3.06	81.00	4.05
	32 Colt New Police								
*2332	Lead, Oil-Proof	100	1½	4	92	61.20	3.06	81.00	4.05
	32 (7.65 mm.) Automatic Pistol								
*2632	Metal Case, Oil-Proof	71	1½	5	87	75.80	3.79	101.00	5.05
	32 Remington								
†5632	Express, Soft Point, Core-Lokt	170	9½	1	55	153.00	3.06	202.50	4.05
	32-20 Win.								
*4232	Lead, Oil-Proof	100	6½	2	55	84.60	4.23	112.00	5.60
*4632	Soft Point, Oil-Proof	100	6½	2	55	104.80	5.24	139.00	6.95
*4732	Hi-Speed, Mushroom	80	6½	2	52	113.00	5.65	150.00	7.50
	32 Win. Special								
†5032	Express, Mushroom, Core-Lokt	170	9½	1	56	153.00	3.06	202.50	4.05
†5132	Express, Soft Point, Core-Lokt	170	9½	1	55				
	32-40 Win.								
†5832	Soft Point	165	9½	1	53	147.50	2.95	195.00	3.90
	348 Win.								
†6634	Express, Soft Point, Core-Lokt	200	9½	1	76	224.50	4.49	297.50	5.95
	35 Remington								
†8035	Hi-Speed, Ptd. S.P., Core-Lokt	150	9½	1	55	170.00	3.40	225.00	4.50
†8335	Express, Soft Point, Core-Lokt	200	9½	1	62				
	350 Remington Magnum								
†0350	Hi-Speed, Ptd. S.P., Core-Lokt	200	9½M	1	77	232.00	4.64	307.50	6.15
†1350	Hi-Speed, Ptd. S.P., Core-Lokt	250	9½M	1	83				

REMINGTON CENTER FIRE CARTRIDGES

"KLEANBORE" PRIMING

Index No.	*Packed 50 in a box †Packed 20 in a box	BULLET Weight (Grains)	Primer No.	CASE Quantity M	CASE Weight (Lbs.)	Dealer Price Per M	Dealer Price Per Box	Retail Price Per M	Retail Price Per Box
	351 Win. Self-Loading								
*7435	Soft Point	180	6½	2	87	127.60	6.38	169.00	8.45
	357 Magnum								
*7835	Hi-Speed, Soft Point	158	5½	2	78	102.00	5.10	135.00	6.75
*8835	Hi-Speed, Metal Point	158	5½	2	77	98.20	4.91	130.00	6.50
*9835	Hi-Speed, Lead, Oil-Proof	158	5½	2	77	86.20	4.31	114.00	5.70
	375 H. & H. Magnum								
†1375	Soft Point	270	9½M	1	95	258.50	5.17	342.50	6.85
†2375	Metal Case	300	9½M	1	99				
	9 mm. Luger Automatic Pistol								
*1009	Metal Case, Oil-Proof	124	1½	2	55	95.00	4.75	126.00	6.30
	380 Automatic Pistol								
*1238	Metal Case, Oil-Proof	95	1½	2	45	77.60	3.88	103.00	5.15
	38 Automatic Colt Pistol								
*1438	Metal Case, Oil-Proof (A)	130	1½	2	61	80.80	4.04	107.00	5.35
	38 Super Automatic Colt Pistol								
*1638	Hi-Speed, Metal Case, Oil-Proof (B)	130	1½	2	61	80.80	4.04	107.00	5.35
	38 S. & W.								
*2338	Lead, Oil-Proof	146	1½	2	64	72.00	3.60	95.00	4.75
	38 Special								
*5138	Lead, Oil-Proof	158	1½	2	71	73.40	3.67	97.00	4.85
*5238	Lead, Oil-Proof	200	1½	2	83	76.40	3.82	101.00	5.05
*5338	Metal Point, Oil-Proof	158	1½	2	71	90.80	4.54	120.00	6.00
*6138	Targetmaster, Lead, Wad Cutter Bullet, Oil-Proof	148	1½	2	67	76.40	3.82	101.00	5.05
*6238	Targetmaster, Lead, Round-Nose Bullet, Oil-Proof	158	1½	2	69	74.80	3.74	99.00	4.95
*6538	Hi-Speed, Lead, (38-44)	158	1½	2	72	81.00	4.05	107.00	5.35
*6838	"Hi-Way Master," Metal Penetrating Bullet	110	1½	2	57	93.00	4.65	123.00	6.15
	38 Colt, New Police (Police Positive)								
*7138	Lead, Oil-Proof	150	1½	2	65	71.80	3.59	95.00	4.75
	38 Short Colt								
*7238	Lead, Oil-Proof	125	1½	2	58	64.20	3.21	85.00	4.25

(A) Adapted only for 38 Colt Sporting, Military and Pocket Model Automatic pistols. These pistols were discontinued after 1928.

(B) Adapted only for 38 Colt Super and Colt Commander Automatic pistols. Not for use in Sporting, Military and Pocket Models.

REMINGTON CENTER FIRE CARTRIDGES

"KLEANBORE" PRIMING

Index No.	*Packed 50 in a box †Packed 20 in a box	BULLET Weight (Grains)	Primer No.	CASE Quantity M	CASE Weight (Lbs.)	Dealer Price Per M	Dealer Price Per Box	Retail Price Per M	Retail Price Per Box
	38 Long Colt								
*7338	Lead, Oil-Proof	150	1½	2	67	72.00	3.60	95.00	4.75
	38-40 Win.								
*8138	Soft Point, Oil-Proof	180	2½	2	88	124.60	6.23	165.00	8.25
	38-55 Win.								
†8438	Soft Point	255	9½	1	65	166.00	3.32	220.00	4.40
	41 Magnum								
*1041	Soft Point, Oil-Proof	210	2½	1	53	127.00	6.35	168.00	8.40
*1141	Lead	210	2½	1	51	111.20	5.56	147.00	7.35
	41 Long Colt								
*4341	Lead, Oil-Proof	195	1½	2	83	83.20	4.16	110.00	5.50
	44 Remington Magnum								
*5844	Lead, Gas-Check, Oil-Proof	240	2½	1	57	128.60	6.43	170.00	8.50
*6844	Soft Point, Oil-Proof	240	2½	1	58	132.50	6.62	175.00	8.75
†6944	Soft Point, Oil-Proof	240	2½	1	58	132.50	2.65	175.00	3.50
	44 S. & W. Special								
*5544	Lead, Oil-Proof	246	2½	1	53	97.60	4.88	129.00	6.45
	444 Marlin								
†0444	Soft Point	240	9½	1	78	183.00	3.66	242.50	4.85
	44-40 Win.								
*5944	Soft Point, Oil-Proof	200	2½	2	95	130.60	6.53	173.00	8.65
	45 Colt								
*6345	Lead, Oil-Proof	250	2½	1	56	97.60	4.88	129.00	6.45
	45 Automatic								
*6645	Metal Case, Oil-Proof	230	2½	1	49	104.40	5.22	138.00	6.90
*6745	Targetmaster, Wad Cutter, Oil-Proof	185	2½	1	43	108.00	5.40	143.00	7.15
*6845	Targetmaster, Metal Case, Oil-Proof	230	2½	1	49	109.60	5.48	145.00	7.25
	45 Auto Rim								
*7545	Lead, Oil-Proof	230	2½	1	49	104.40	5.22	138.00	6.90
	45-70 Government								
†8245	Soft Point	405	9½	1	99	198.50	3.97	262.50	5.25
	458 Win. Magnum								
†1458	Soft Point	510	9½M	½	60	315.50	6.31	417.50	8.35
†2458	Metal Case	500	9½M	½	60	480.00	9.60	637.50	12.75

INTERCHANGEABILITY CHART

Cartridges in groups shown below will interchange

rim fire

22 W.R.F.
22 Remington Special
22 Win. M/1890

---

25 Stevens Short in
25 Stevens but not conversely

---

32 Short in
32 Long but not conversely

NOTE: ▼Hi-Speed Cartridges must not be used in Revolvers. They should be used only in rifles made especially for them. Exceptions: items marked (*) are designed especially for the 38-44 S. & W. Revolver and the 38 Colt Shooting Master. Pressure of these two cartridges is safe for lighter guns, but the recoil is likely to be more unpleasant and the frame may be shaken loose in time.

NOTE A: Not for use in revolvers chambered for 32 S. & W. or 32 S. & W. Long.

NOTE B: All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.

NOTE C: 44 S. & W. Special can be used in 44 Remington Magnum Revolvers but not conversely.

center fire

25-20 Win., Marlin, Remington
25-20 Win. and Marlin
25-20 W.C.F.
25-20 Win.
25-20 Win. Hi-Speed
25-20 Marlin

---

25 Colt Automatic
25 Automatic Pistol
25 (6.35 mm.) Automatic Pistol
6.35 mm. Browning Automatic

30-30 Win., Marlin, Sav.
30-30 Win.
30-30 Marlin
30-30 Win. High Speed (Express)
30 W.C.F.

---

32 Short Colt in
32 Long Colt but not conversely
SEE NOTE A

---

32 Colt Automatic
32 Automatic Pistol
32 (7.65 mm.) Automatic Pistol
7.65 mm. Automatic Pistol

---

32 S. & W. in
32 S. & W. Long but not conversely

---

32 S. & W., Long
32 Colt's New Police
32 Colt's Police Positive

---

32 Win., Marlin, Remington▼
32 Win. and Marlin▼
32 W.C.F.▼
32 Win.▼
32-20 Win.▼
32-20 Win. High Speed▼
32-20 Marlin▼
32-20 Colt L.M.R.▼
32-20 W.C.F▼
32-20 Win.and Marlin▼

center fire

38 S. & W.
38 Colt's New Police

---

38 Short Colt in
38 Long Colt but not conversely
Both can be used in 38 Special

---

38 Colt Special
38 S. & W. Special SEE NOTE B
38 Targetmaster

---

38 S. & W. Special Mid-Range
38 Special Hi-Speed (*)
38-44 Special (*) SEE NOTE B
38 Special
38 Special Flat Point

---

38 Win., Marlin, Remington
38 Win.
38 Remington
38-40 Win.
38 W.C.F.

---

380 Automatic
9 mm. Short (Corto Kurz)
9 mm. Browning Short

---

9 mm. Luger Automatic Pistol
9 mm. Parabellum

---

44 S. & W. Special SEE NOTE C
44 Remington Magnum

---

44 Win., Marlin, Remington
44 Win.
44 Remington
44-40 Win.
44 W.C.F.

45-70 Government
45-70 Marlin
45-70-405

SUGGESTED SHOT SIZES FOR GAME

GAME	SHELL	SHOT SIZE	SUGGESTED CHOKES
DUCKS	"Express"	4, 5, 6	FULL — For Pass Shooting MODIFIED — Over Decoys
GEESE	"Express"	BB, 2, 4	FULL
PHEASANTS	"Express"	5, 6	MODIFIED FULL — For Long Cornfield Shots
GROUSE, PARTRIDGE	"Express" or "Shur Shot"	5, 6 7½, 8	IMPROVED CYLINDER OR MODIFIED — For Brush Work FULL — For Open Ranges
QUAIL	"Shur Shot"	7½, 8, 9	IMPROVED CYLINDER MODIFIED
DOVES, PIGEONS	"Shur Shot" or "Express"	6, 7½, 8	MODIFIED
WOODCOCK	"Shur Shot"	7½, 8, 9	IMPROVED CYLINDER MODIFIED
RABBITS	"Shur Shot" or "Express"	4, 5, 6	IMPROVED CYLINDER OR MODIFIED — For Brush FULL — For Long Open Shots
SQUIRRELS	"Express"	5, 6	MODIFIED
RAIL	"Shur Shot"	7½, 8, 9	IMPROVED CYLINDER
TURKEY	"Express"	BB, 2, 4	FULL
FOX	"Express"	BB, 2	FULL
DEER, BLACK BEAR, WOLF	"Express"	Rifled Slug and Buck Shot	For rifled slugs . . . any choke For buckshot loads . . . full choke

SHOT

NUMBER	DIAM. IN INCHES	APPROX. PELLETS IN 1 OZ.
12	.05	2385
9	.08	585
8	.09	410
7½	.09½	350
6	.11	225
5	.12	170
4	.13	135
2	.15	90
BB	.18	50

BUCK SHOT

NUMBER	DIAM. IN INCHES	APPROX. PELLETS IN 1 LB.
4	.24	340
3	.25	300
1	.30	175
0	.32	145
00	.33	130

AMERICA'S MOST POPULAR

TRAP and SKEET EQUIPMENT

REMINGTON TRAP & SKEET EQUIPMENT

NEW REMINGTON SQUARE SHOULDER *"BLUE ROCK"* TARGETS

Ideal for Any Trap

NEW DESIGN! The new Remington square shoulder "Blue Rock" has weight where weight belongs! Dome of target is thin, rim is heavier, giving greater stability, more spin. More pronounced shot rings on dome catch shot — targets break easier when hit by only a few pellets. All adding up to higher scores!

NEW REMINGTON AUTOLOADING TRAP

Labor-saving *(no trap boy needed)* • Large capacity (203 targets) • Easy loading, stack at a time • No tools required • Connects to 110 volt wiring system • Makes commercial gun clubs profitable!



MODEL A100T FOR TRAP

1 Remington autoloading trap with ½ HP motor, 60 cycle, 115 volts and special auto-angling base. 1 push button release unit with 100 feet of wire. 1 power control box.

MODEL M200S FOR SKEET

2 Remington autoloading traps with ½ HP motors, 60 cycle, 115 volts. 1 walk around release unit and 80 feet of wire. 2 power control boxes. 1 connection box.



REMINGTON "EXPERT" TRAP

A strong, lightweight, sturdily built portable trap. Smooth operating. Just right for use at summer camps, cottages, aboard boats, or for trips into the country. Fine for "walk up" shooting games.

REMINGTON "WONDER" TRAP

For straight trap and skeet. Tested in service . . . proved in practice. "Wonder" trap meets every requirement. Less vibration, automatically "sets" itself. Instant adjustment.

REMINGTON "WONDER" TRAPS FOR SKEET SHOOTING

Two Remington "Wonder" traps with Remington's exclusive Singlever manual control, all other accessories. Also Remington Electric release.



REMINGTON TARGET THROWER

All you need to enjoy shotgun sport all year round are Remington "Blue Rock" targets and a Remington target thrower. Easy to use. Throw targets any way you like.

REMINGTON "BLUE ROCK" TRAP

For straight trap and skeet. Throws either doubles or singles. Ideal for small clubs or private estates. Available also as complete skeet outfit: 2 "Blue Rock" Traps and Remington's exclusive Singlever Pull for manual operation.

Write us for any additional information and prices

MANUAL RELEASE FOR "WONDER" OR "BLUE ROCK" OUTFITS

Simple to attach and easy to use, the Remington Singlever Pull is especially designed for manual operation of the "Wonder" Skeet Outfit. Easily and quickly converted to electric operation.



Remington, Shur Shot, Hi-Way Master, Kleanbore, Targetmaster, Core-Lokt, Jet, Blue Rock, Wonder, and Expert are Reg. U.S. Pat. Off.; Fire Ball, Power Piston, Hi-Speed and Express are trademarks of Remington Arms Company, Inc., Bridgeport 2, Conn.



30 caliber in the gun



72 caliber in the game

It's Remington's exclusive "Core-Lokt" bullet design that does it.

Look closely at a "Core-Lokt" bullet, and you'll see a row of precision notches cut into the tip of the jacket. These are called directional nose cuts. They allow "Core-Lokt" to mushroom at just the right moment. They also help guide the uniform expansion.

Slice a "Core-Lokt" bullet lengthwise, and you would see another original Remington design feature now copied by many — a thickened, heavier jacket midsection. This gives "Core-Lokt" its remarkable controlled penetration — locks bullet, jacket and core in one piece. Result: Greater shocking and stopping power!

Hunters get the extra performance of "Core-Lokt" construction in three bullet styles, 25 different big-game calibers, 50 different loadings.

Hunters also get the extra protection of still another Remington exclusive — non-corrosive "Kleanbore" priming. So when you buy your big-game ammunition, be particular. Ask for it by name. Remington "Core-Lokt" with "Kleanbore" priming. Also available, exclusive Remington Bronze Point Bullets for flat trajectory, high remaining velocity and fine accuracy.

Remington DU PONT

REMINGTON "HI-SPEED" 22s WITH *"golden"* BULLETS

"MICRO-PERFECT" BULLET, produced from lead selected for highest quality, made for perfect mesh with rifling of the barrel! **SPECIAL LUBRICATION** protects the rifling of the barrel! **NEWEST SMOKELESS POWDER** for maximum power — contributes to uniformly fine accuracy — flat trajectory — long range smash! **STRONG HARD BRASS CASE,** uniformly crimped for consistently accurate shooting! **"KLEANBORE" NON-CORROSIVE PRIMING** provides split-second ignition.

SHOCK POWER
Laundry soap is blasted by Remington "Hi-Speed" hollow point bullet. Terrific wallop for hunting pests.

PENETRATION POWER
See how a Remington "Hi-Speed" 22 solid-point bullet rips through seven ⅞-inch pine boards. What penetration power!

REMINGTON 22s

WITH EXCLUSIVE "KLEANBORE" PRIMING

STANDARD VELOCITY 22s
For shorter-range hunting, and for informal target shooting or plinking where fine accuracy is necessary. Remington Standard Velocity 22s are an excellent choice. Available in short and long rifle sizes. In all Remington ammunition you get the original and exclusive world-famed "Kleanbore" priming to keep your gun barrel bright and clean. For instant ignition and corrosion prevention shoot Remington "Kleanbore" 22s . . . the best friend your rifle ever had.

MATCH LONG RIFLE 22s
The new Remington Match 22s have design and performance features never before available in match ammunition. They have a new bullet shape micro-measured for consistency, with superb wind-bucking qualities — a new silicone-base lubricant that makes it unnecessary to clean barrels between stages — a new "Kleanbore" priming mixture that insures longer barrel accuracy life — and a new close-tolerance brass case with new rim shape for improved ignition.

Remington

DU PONT

REMINGTON ARMS COMPANY, INC., BRIDGEPORT, CONNECTICUT 06602
BRANCH WAREHOUSE: Remington Arms Company, Inc., 3401 Chouteau Ave., St. Louis, Missouri 63013

SR 66 • Printed in U.S.A.